



# rgsbkgmodelTest

April 16, 2023

## Abstract

Check if the RGS background model can be applied to the dataset.

## 1 Instruments/Modes

Instrument	Mode
RGS	Spectroscopy

## 2 Use

In the interactive environment.

pipeline processing	yes
interactive analysis	yes

## 3 Description

This is a small tool specially developed for the pipeline. **rgsbkgmodelTest** checks if **rgsbkgmodel** can be executed for the current data set.

If the data set do not have data in the CCD 9, or the number of beta channels are not equal to 3400, the program exits with a return code equal to 1. Otherwise, the program exits with 0.

## 4 Parameters

This section documents the parameters recognized by this task (if any).

Parameter	Mand	Type	Default	Constraints
-----------	------	------	---------	-------------



table	yes	table specifier		event list table specifier
-------	-----	-----------------	--	----------------------------

A table specifier which must point to a rgs event list table in a data set.

## 5 Errors

This section documents warnings and errors generated by this task (if any). Note that warnings and errors can also be generated in the SAS infrastructure libraries, in which case they would not be documented here. Refer to the index of all errors and warnings available in the HTML version of the SAS documentation.

### **incompatible event file** (*error*)

The input event file has beta channels value not equal to 3400.

### **No CCD 9 data** (*error*)

The input event file has not got data in the CCD 9. The it is not possible to compute the bkg model template

## 6 Input Files

1. RGS event list file.

## 7 Output Files

## 8 Algorithm

## 9 Comments

•

## References